

ADULT UNIVERSAL

User Weight: >41 kg (>90 lbs)
Chest Size: 76-132 cm (30-52 in.)



- Drowning hazard if not worn.
- Must be fastened and properly adjusted to float the wearer.

Choose and wear the device which fits you and your activity, visit www.XXXXX.com.
Read and keep the owner's manual and tags for info on wear, and care.

Company Name
Company Address
Company website if available
Indication of Country of Origin

USCG Approved 160.064/XXXX/X
UL 1123 TYPE XX

Model: XXXX
Lot No. XXXX

Approval conditions state that this device must be worn to be counted as equipment required by vessels meeting Transport Canada or USCG regulations.

Lab
Certification
Mark

Certifying Lab
Identification
and address

Use:
Fasten all closures and adjust for a snug fit.

Inspection:
Inspect your life vest before each outing. Do not use if your life vest shows signs of weathering, damage, or rot.

Care and Storage:
Dry thoroughly after each outing.
Store in a dry, cool place out of direct sunlight.



**NEAR-SHORE BUOYANT VEST -TYPE II PFD
INTENDED USE:GENERAL BOATING VEST**

ADULT UNIVERSAL

USER WEIGHT: MORE THAN 90 LBS (41KG)

CHEST SIZE:30- 52 IN (76-132 CM)

MODEL:XV702

U.S. COAST GUARD APPROVAL NUMBER 160.064/4734/0

USCG approved wearable device for uninspected commercial vessels less than 40 feet (12m) in length not carrying passengers for hire, and for recreational boats. Not approved for use on personal water craft, for water skiing, or similar towed uses.

WARNING - TO REDUCE THE RISK OF DEATH BY DROWNING:

- **READ MANUFACTURER'S "THINK SAFE" PAMPHLET BEFORE USING THIS DEVICE AND PERFORM "THINK SAFE" CHECKS EACH SEASON**
- **CHOOSE THE RIGHT TYPE AND SIZE PFD AND WEAR IT - FASTEN ALL CLOSURES AND ADJUST FOR SNUG FIT**
- **FOLLOW MANUFACTURER'S USE AND CARE INSTRUCTIONS**
- **DO NOT CARRY HEAVY OBJECTS- HEAVY OBJECTS IMPAIR FLOTATION**



LISTED

**NEAR - SHORE
BUOYANT VEST
ISSUE NO 0120074**

LOT NO.21030228 J

Exxel Outdoors L L C 1 International Court Broomfield, Colorado 80021

**PLEASE DO NOT ATTACH PFDS TO BOAT!
WARNING-DO NOT DRY CLEAN**

**ADULT
50 TO 60 IN (127 TO 152 CM)**

FLOTATION AID - TYPE III PFD
INTENDED USE: SKI VEST

ADULT SUPER LARGE

USER WEIGHT: MORE THAN 90 LBS (41 KG) CHEST SIZE: 50 TO 60 IN (127 TO 152 CM)

MODEL: SLPE

U.S. COAST GUARD APPROVAL NUMBER: 160.064/3097/0

USCG APPROVED VESSEL TYPE FOR USE ON
COMMERCIAL VESSELS LESS THAN 40 FEET (12m) IN LENGTH NOT
CARRYING PASSENGERS FOR HIRE, AND FOR RECREATIONAL BOATS.

WARNING - TO REDUCE RISK OF DEATH BY DROWNING:

- READ MANUFACTURER'S "THINK SAFE PAMPHLET" BEFORE USING THIS DEVICE AND PERFORM "THINK SAFE" CHECKS EACH SEASON
- CHOOSE THE RIGHT TYPE AND SIZE PFD AND WEAR IT - FASTEN ALL CLOSURES AND ADJUST FOR SNUG FIT
- FOLLOW THE MANUFACTURER'S USE AND CARE INSTRUCTIONS
- DO NOT CARRY HEAVY OBJECTS—HEAVY OBJECTS IMPAIR FLOTATION

STRENGTH TESTED AT 50 MPH—NOT TESTED FOR PERSONAL PROTECTION FROM IMPACT.

UPC CODE: 043311066730

LOT NO. SN417T

B CLOSURE STYLE



LISTED
FLOTATION AID
ISSUE NO: B-8612
MQ196 SEC. 13

SKI PRO, 433 PARK AVENUE S., NEW LONDON, OH 44851

WARNING: DO NOT DRY CLEAN. DO NOT ATTACH PFD TO BOAT. SUNSHINE, CHLORINE, AND WEATHERING MAY CAUSE COLORS TO FADE OR BLEED ONTO OTHER SURFACES.
CAUTION: FABRIC FADING CAN INDICATE LOSS OF STRENGTH. STORE IN DRY, COOL, DARK PLACE. A WEATHERED PFD COULD TEAR EASILY, RESULTING IN LOSS OF FLOTATION MATERIAL. IF FADED, CHECK STRENGTH OR DISCONTINUE USE.
TEST THIS DEVICE IN THE WATER AND CHECK FOR RIDE-UP. SEE PAGE 9 OF THE THINK SAFE PFD PAMPHLET.

MADE IN THE USA

